


Kaput®

For Control of (Kills) Norway Rats,
Roof Rats, Deer Mice, White-Footed
Mice, House Mice and Voles



MOUSE BLOCKS

NET WT. 22 LBS. (9.98 kg)



NOW KILLS
RATS & VOLES
TOO



ABOUT
350
BLOCKS

Keep Out of Reach of Children
CAUTION

Harmful if swallowed.

See back panel for first aid additional precautionary statements.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION

Keep away from humans, domestic animals and pets. Harmful if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding. Do not get in eyes, on skin or clothing. Wash arms, hands and face with soap and water after applying and before eating or smoking.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If swallowed, call a poison control center, doctor or 1-800-858-7378 for immediate treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.

Notice to Physician or Veterinarian

This material may reduce the clotting ability of the blood and may cause bleeding. If ingested, administer Vitamin K-1 intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other non-target animals to this product or use it for any purpose other than to control (kill) Norway rats, roof rats, deer mice, house mice, white-footed mice and voles.

To help prevent accidents:

1. Store product not in use in locations out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals or areas prone to vandalism.
3. Dispose of product container and unused, spoiled or unconsumed bait as specified on this label.

USE RESTRICTIONS

Rats and Mice: This product may be used to control (kill) only Norway rats (*Rattus norvegicus*), roof rats (*Rattus rattus*), deer mice (*Peromyscus maniculatus*), white-footed mice (*P. leucopus*) and house mice (*Mus musculus*). Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not use this product within the occupied habitats of threatened or endangered *Peromyscus* spp. mice. **Voiles:** Use this product to control pine, meadow or mountain voles (*Microtus* spp.) around buildings. Do not expose bait on bare ground. Wear gloves when handling bait or carcasses.

URBAN AREAS: Rats and Mice: This product may be used in and around homes, and industrial, commercial and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Applications "around" buildings must be made in tamper-resistant bait stations placed along walls or other external parts of buildings (e.g. doorways, ramps, loading docks) where rats or mice might seek to gain entrance.

NON-URBAN AREAS: Rats and Mice: In non-urban areas, this product may be used only in and around homes and agricultural buildings for rats and mice. If applied in secured, tamper-resistant bait stations, this product may also be used in parks, woodlots, yards and lots surrounding residential buildings, and non-crop areas near agricultural buildings.

SELECTION OF TREATMENT AREAS

Rats and Mice: Determine where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, along building foundations, in cellars and crawl spaces, and other locations where rats and mice or their signs are seen in or near homes, cabins, outbuildings, and similar structures. When controlling white-footed mice, the bases of trees located in permitted use sites (see **USE RESTRICTIONS**) may provide suitable baiting points. When bait is applied, remove as much of the foods as possible that the rats and mice have been eating. **Voiles:** Select areas near buildings (such as flowerbeds, shrubs and bushes) where voles or their damage (eating of bulbs, girdling of plants) have been observed; also look for well-defined runways intersecting with holes.

APPLICATION DIRECTIONS

Mice: Apply 1 or 2 bait blocks per placement. Use 2 blocks only at points of extremely high mouse activity. Space placements at 8- to 12- foot intervals.

Rats: Apply 4 to 16 bait blocks per placement. Space placements at 15- to 30- foot intervals.

Rats and Mice: All applications, including indoor applications, must be made in tamper-resistant bait stations unless children, pets, domestic animals and non-target wildlife are reliably denied access to the treated area by other means. Maintain an uninterrupted

supply of fresh bait for at least 30 days or until signs of rodent activity cease to appear. Immediately replace contaminated or spoiled bait. To discourage re-infestation, eliminate food, water and harborage as much as possible and attempt to locate and seal openings through which rats or mice enter buildings. Repeat treatment if re-infestation occurs. Where a continuous source of infestation is present, establish permanent bait stations, monitor those stations, and replenish bait as needed.

Voiles: Place 1 bait block in each active hole or runway. Cover with a shingle, board or grass to increase bait consumption. If children, pets or non-target mammals are present, place bait in tamper-resistant bait stations. Check placements daily and remove stale bait and any carcasses. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of vole activity cease.

Follow-up: At the end of the control program dispose of carcasses and any uneaten bait.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse this container; place in trash or offer for recycling if available. **If partly filled:** Call your solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE OF WARRANTY

Manufacturer and seller make no warranty, of merchantability, fitness for any purpose, or otherwise, expressed or implied, concerning this product or its use, which extend beyond the statements on this label.

Scimetrics

LTD. CORP.

New Solutions to Old Problems

P.O. Box 1045 Wellington, CO 80549
(970) 482-1330

Label Version 5/8/07

FOR CALIFORNIA: WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.



Scimetrics

LTD. CORP.

New Solutions to Old Problems